

Omadus	Tähis	Lamell-liimpuidu tugevusklass					
		GL 24c	GL 28c	GL 32c	GL 24h	GL 28h	GL 32h
Paindetugevus	fmgk	24	28	32	24	28	32
Tõmbetugevus	ft0gk	17	19,5	19,5	19,2	22,3	25,6
	ft90gk		0,5			0,5	
Survetugevus	fc0gk	21,5	24	24,5	24	28	32
	fc90gk		2,5			2,5	
Nihketugevus	fvk		3,5			3,5	
Elastsusmoodul	E0gmean	11000	12500	13500	11500	12600	14200
	E0g05	9100	10400	11200	9600	10500	11800
	E90gmean		300			300	
	E90g05		250			250	
Nihkemoodul	Ggmean		650			650	
	Gg05		540			540	
Tihedus	pgk	365	390	400			
	pgmean	400	420	440	420	460	490